

# Label-Off

Print date: 21.05.2015

Product code: 134

Page 1 of 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Label-Off

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Uses advised against

Reserved for industrial and professional use.

### 1.3. Details of the supplier of the safety data sheet

| Company name:                              | ITW LLC & Co. KG  |                            |
|--|---|----------------------------|
| Street:                                    | Mühlackerstrasse 147                                      |                            |
| Place:                                     | D-75417 Mühlacker   |                            |
| Telephone:                                 | ++49(0)7041-96340   | Telefax:++49(0)7041-963429 |
| e-mail:                                    | info@itwcp.de   |                            |
| Internet:                                  | www.itwcp.de  |                            |
| Responsible Department:                    | Produktsicherheit   |                            |
| <u>1.4. Emergency telephone</u><br>number: | ++49(0)7041-96340<br>Mo Do. 8.00 - 16.30 Fr. 8.00 - 14.00 |                            |

# SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

### Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: F+ - Extremely flammable, Xi - Irritant, N - Dangerous for the environment R phrases: Extremely flammable. Irritating to skin. May cause sensitisation by skin contact. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Vapours may cause drowsiness and dizziness.

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories: Flammable gas: Flam. Gas 1 Skin corrosion/irritation: Skin Irrit. 2 Respiratory/skin sensitization: Skin Sens. 1 Hazardous to the aquatic environment: Aquatic Chronic 2 Hazard Statements: Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause an allergic skin reaction. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.

## 2.2. Label elements

# Hazardous components which must be listed on the label

Hydrocarbons, C6, Isoalkane, D-Limonen

| Signal word: | Danger            |
|--------------|-------------------|
| Pictograms:  | GHS02-GHS07-GHS09 |



#### Label-Off Print date: 21.05.2015 Product code: 134 Page 2 of 8 Hazard statements H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated. H315 Causes skin irritation. H317 May cause an allergic skin reaction. May cause drowsiness or dizziness. H336 H411 Toxic to aquatic life with long lasting effects. **Precautionary statements** P251 Do not pierce or burn, even after use. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P271 Use only outdoors or in a well-ventilated area. P302+P352 IF ON SKIN: Wash with plenty of water.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

# Hazardous components

| EC No            | Chemical name   | Quantity |
|------------------|---|----------|
| CAS No           | Classification according to Directive 67/548/EEC  |          |
| Index No         | Classification according to Regulation (EC) No. 1272/2008 [CLP]   |          |
| REACH No         |   |          |
| 265-151-9        | Naphtha (petroleum), hydrotreated light; Low boiling point hydrogen treated naphtha   | 40-70 %  |
| 64742-49-0       | F - Highly flammable, Xn - Harmful, Xi - Irritant, N - Dangerous for the environment R11-38-51-53-65                                  |          |
|                  | Flam. Liq. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H225 H336 H304 H411  |          |
| 01-2119484651-34 |   |          |
| 227-813-5        | (R)-p-mentha-1,8-diene, d-limonene  | 10-30%   |
| 5989-27-5        | Xi - Irritant, N - Dangerous for the environment R10-38-43-50-53  |          |
| 601-029-00-7     | Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1, Aquatic Acute 1 (M-Factor = 1), Aquatic Chronic 1 (M-Factor = 1); H226 H315 H317 H400 H410 |          |
| 919-857-5        | Hydrocarcons, C9-C11, n-Alkane,iso-Alkane   | 10-30%   |
| 64742-48-9       |   |          |
|                  | Flam. Lig. 3, STOT SE 3, Asp. Tox. 1; H226 H336 H304  |          |
| 01-2119463258-33 |   |          |
| 204-696-9        | Carbondioxide   | 2,5-10 % |
| 124-38-9         |   |          |
|                  | Compressed gas; H280  |          |
| 200-578-6        | ethanol, ethyl alcohol  | <1%      |
| 64-17-5          | F - Highly flammable R11  |          |
| 603-002-00-5     | Flam. Liq. 2; H225  | 7        |

Full text of R-, H- and EUH-phrases: see section 16.



# Label-Off

Print date: 21.05.2015

Product code: 134

Page 3 of 8

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

No data available

## After inhalation

Provide fresh air.

#### After contact with skin

After contact with skin, wash immediately with: Water. Change contaminated clothing.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

If swallowed, immediately drink: Water.

### 4.2. Most important symptoms and effects, both acute and delayed

No data available

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2). Foam. Extinguishing powder.

#### Unsuitable extinguishing media

Water with tenside additive. Water.

## 5.2. Special hazards arising from the substance or mixture

Combustible. Vapours may form explosive mixtures with air. Heating causes rise in pressure with risk of bursting.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Explosion hazard.

### 6.3. Methods and material for containment and cleaning up

Ventilate affected area.

### **SECTION 7: Handling and storage**


#### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking.





# Safety Data Sheet

# according to Regulation (EC) No 1907/2006

## Label-Off

Print date: 21.05.2015

Product code: 134

Page 4 of 8

# 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from sources of ignition. - No smoking.

### Advice on storage compatibility

Do not store together with: Material, rich in oxygen, oxidizing.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

# Exposure limits (EH40)

| CAS No   | Substance      | ppm   | mg/m³ | fibres/ml | Category      | Origin |
|----------|----------------|-------|-------|-----------|---------------|--------|
| 124-38-9 | Carbon dioxide | 5000  | 9150  |           | TWA (8 h)     | WEL    |
|          |                | 15000 | 27400 |           | STEL (15 min) | WEL    |
| 64-17-5  | Ethanol        | 1000  | 1920  |           | TWA (8 h)     | WEL    |
|          |                | -     | -     |           | STEL (15 min) | WEL    |

### 8.2. Exposure controls



#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Protective and hygiene measures

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

#### Eye/face protection

Tightly sealed safety glasses.

#### Hand protection

DIN EN 374 Tested protective gloves are to be worn: Butyl rubber. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Protective clothing:

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

| Physical state: | Aerosol        |
|-----------------|----------------|
| Colour:         | colourless     |
| Odour:          | characteristic |

# Changes in the physical state

Initial boiling point and boiling range:

Revision No: 1,13

60 °C



# Safety Data Sheet

## according to Regulation (EC) No 1907/2006

|                                | Label-Off         |             |
|--------------------------------|-------------------|-------------|
| Print date: 21.05.2015         | Product code: 134 | Page 5 of 8 |
| Flash point:                   | < 0 °C            |             |
| Lower explosion limits:        | 1,2 vol. %        |             |
| Upper explosion limits:        | 7 vol. %          |             |
| Ignition temperature:          | 300 °C            |             |
| Vapour pressure:<br>(at 20 °C) | 227 hPa           |             |
| Vapour pressure:<br>(at 50 °C) | 719 hPa           |             |
| Density:                       | 0,71 g/cm³        |             |

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No data available

# 10.2. Chemical stability

No data available

# 10.3. Possibility of hazardous reactions

No data available

# 10.4. Conditions to avoid

Keep away from heat. Ignition hazard.

# 10.5. Incompatible materials

No data available

# 10.6. Hazardous decomposition products

No data available

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

#### Acute toxicity

| CAS No    | Chemical name                      |        |              |         |        |
|-----------|------------------------------------|--------|--------------|---------|--------|
|           | Exposure routes                    | Method | Dose         | Species | Source |
| 5989-27-5 | (R)-p-mentha-1,8-diene, d-limonene |        |              |         |        |
|           | oral                               | LD50   | > 2000 mg/kg | Rat     |        |
|           | dermal                             | LD50   | > 2000 mg/kg | Rabbit  | IUCLID |
| 64-17-5   | ethanol, ethyl alcohol             |        |              |         |        |
|           | oral                               | LD50   | 6200 mg/kg   | Rat     | IUCLID |
|           | inhalative (4 h) vapour            | LC50   | 95,6 mg/l    | Rat     | RTECS  |

### Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

# **SECTION 12: Ecological information**

# 12.1. Toxicity



Pr

# Safety Data Sheet

### according to Regulation (EC) No 1907/2006

|               |                               |              | Label-Off       |           |                     |        |            |
|---------------|-------------------------------|--------------|-----------------|-----------|---------------------|--------|------------|
| nt date: 21.0 | 5.2015                        |              | Product code: 1 | 34        |                     | Р      | age 6 of 8 |
| CAS No        | Chemical name                 |              |                 |           |                     |        |            |
|               | Aquatic toxicity              | Method       | Dose            | [h]   [d] | Species             | Source |            |
| 5989-27-5     | (R)-p-mentha-1,8-diene, d-lir | monene       |                 |           |                     |        |            |
|               | Acute fish toxicity           | LC50         | 0,7 mg/l        | 96 h      | Pimephales promelas |        |            |
|               | Acute crustacea toxicity      | EC50         | 0,42 mg/l       | 48 h      | Daphnia magna       |        |            |
| 64-17-5       | ethanol, ethyl alcohol        |              |                 |           |                     |        |            |
|               | Acute crustacea toxicity      | EC50<br>mg/l | 9268 - 14221    | 48 h      | Daphnia magna       | IUCLID |            |

## 12.3. Bioaccumulative potential

# Partition coefficient n-octanol/water

| CAS No    | Chemical name                      | Log Pow |
|-----------|------------------------------------|---------|
| 5989-27-5 | (R)-p-mentha-1,8-diene, d-limonene | 4,23    |
| 64-17-5   | ethanol, ethyl alcohol             | -0,31   |

#### **Further information**

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

Dispose of waste according to applicable legislation.

#### Waste disposal number of waste from residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing dangerous substances Classified as hazardous waste.

### Waste disposal number of contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

### Land transport (ADR/RID)

| <u>14.1. UN number:</u>           | UN1950      |
|-----------------------------------|-------------|
| 14.2. UN proper shipping name:    | AEROSOLS    |
| 14.3. Transport hazard class(es): | 2           |
| Hazard label:                     | 2.1         |
|                                   |             |
| Classification code:              | 5F          |
| Special Provisions:               | 190 327 625 |
| Limited quantity:                 | 1 L         |
| Transport category:               | 2           |



|  | Label-Off  |             |
|--|--|-------------|
| Print date: 21.05.2015   | Product code: 134                                    | Page 7 of 8 |
| Tunnel restriction code:   | D  |             |
| Other applicable information (land tran<br>E0  | sport)   |             |
| Inland waterways transport (ADN)   |  |             |
| <u>14.1. UN number:</u>  | UN1950   |             |
| 14.2. UN proper shipping name:   | AEROSOLS   |             |
| <u>14.3. Transport hazard class(es):</u>   | 2  |             |
| Hazard label:  | 2.1  |             |
| Classification code:   | 5F   |             |
| Special Provisions:  | 190 327 344 625                                      |             |
| Limited quantity:  | 1 L  |             |
| Other applicable information (inland wated by E0   | aterways transport)                                  |             |
| Marine transport (IMDG)  |  |             |
| <u>14.1. UN number:</u>  | UN1950   |             |
| 14.2. UN proper shipping name:   | AEROSOLS   |             |
| 14.3. Transport hazard class(es):  | 2  |             |
| 14.4. Packing group:   | -  |             |
| Hazard label:  | 2, see SP63  |             |
| Special Provisions:<br>Limited quantity:<br>EmS:   | 63, 190, 277, 327, 344, 959<br>See SP277<br>F-D, S-U |             |
| Other applicable information (marine tr<br>E0  | ansport)   |             |
| Air transport (ICAO)   |  |             |
| <u>14.1. UN number:</u>  | UN1950   |             |
| 14.2. UN proper shipping name:   | AEROSOLS, flammable                                  |             |
| 14.3. Transport hazard class(es):  | 2.1  |             |
| Hazard label:  | 2.1  |             |
| Special Provisions:<br>Limited quantity Passenger:   | A145 A167<br>30 kg G                                 |             |
| IATA-packing instructions - Passenger:<br>IATA-max. quantity - Passenger:<br>IATA-packing instructions - Cargo:<br>IATA-max. quantity - Cargo: | 203<br>75 kg<br>203<br>150 kg                        |             |
| Other applicable information (air trans)<br>E0   | -  |             |



according to Regulation (EC) No 1907/2006

# Label-Off

Print date: 21.05.2015

Product code: 134

Page 8 of 8

: Y203

# 14.5. Environmental hazards

**ENVIRONMENTALLY HAZARDOUS:** yes

# **SECTION 15: Regulatory information**

| 15.1. Safety, hea | Ith and environmental   | regulations/legislation specific for the substance or mixture |  |  |
|-------------------|---|---|--|--|
| EU regulatory     | y information   |   |  |  |
| 2004/42/EC (      | VOC):   | 62,5 % (443,75 g/l)   |  |  |
| National requ     | National regulatory information                                 |   |  |  |
| _                 | inating class (D):  | 2 - water contaminating                                       |  |  |
| SECTION 16: C     | Other information   |   |  |  |
| Relevant R-p      | hrases (Number and fu   | ll text)  |  |  |
| 10                | Flammable.  |   |  |  |
| 11                | Highly flammable.   |   |  |  |
| 38                | Irritating to skin.   |   |  |  |
| 43                | May cause sensitisation by skin contact.                        |   |  |  |
| 50                | Very toxic to aquatic organisms.                                |   |  |  |
| 51                | Toxic to aquatic organisms.                                     |   |  |  |
| 53                | May cause long-term adverse effects in the aquatic environment. |   |  |  |
| 65                | Harmful: may cause lung damage if swallowed.                    |   |  |  |
| Relevant H- a     | nd EUH-phrases (Num   | ber and full text)  |  |  |
| H222              | Extremely   | / flammable aerosol.  |  |  |
| H225              | Highly flammable liquid and vapour.                             |   |  |  |
| H226              | Flammab   | Flammable liquid and vapour.                                  |  |  |
| H229              | Pressuris   | ed container: May burst if heated.                            |  |  |
| H280              | Contains  | gas under pressure; may explode if heated.                    |  |  |
| H304              | May be fa   | atal if swallowed and enters airways.                         |  |  |
| H315              | Causes skin irritation.   |   |  |  |
| H317              | May caus  | e an allergic skin reaction                                   |  |  |

- May cause an allergic skin reaction. H317
- May cause drowsiness or dizziness. H336
- H400 Very toxic to aquatic life.
  - H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)